



Data Submission Guide for Dispensers

Missouri Prescription Drug Monitoring Program

March 2025 Version 2.2



Table of Contents

I		PDMI	P Overview	1		
2		Data Collection and Tracking				
	2.1	Data (Collection Requirements	2		
	2.2	Exemp	otions	2		
	2.3	Nonco	ompliance	3		
3		Data	Submission	4		
	3. I	Timeli	ne and Requirements	4		
	3.2	Upload	d Specifications	4		
4		Accessing Clearinghouse				
	4 . I	Creati	ng Your Account	5		
	4.2	Loggin	g In to PMP Clearinghouse	11		
5		Data	Delivery Methods	12		
	5. I	Secure	FTP	12		
	5.2	2 Real-Time				
	5.3	3 Web Portal Upload				
	5.4	Manua	ll Entry (UCF)	14		
	5.5	Zero I	Reports	17		
		5.5.1	Submit a Single-Click Zero Report	18		
		5.5.2	Create a New Zero Report	20		
6		Data Compliance				
	6. I	File Listings				
	6.2	2 UCF Listings				
	6.3	3 Error Correction Page				
		6.3.1	View Records with Errors	26		
		6.3.2	Error Correction via PMP Clearinghouse	27		
		6.3.3	Error Correction via File Submission	27		
	6.4	Returr	to Stock	28		
7		Email Reports				
	7. I	I File Failed Report				
	7.2	2 File Status Report				

	1.3	Zero Report Confirmation	32		
8		Managing Your Upload Account	33		
	8.1	Adding Users to Your Upload Account	33		
		8.1.1 Changing Another User's Password	34		
	8.2	Adding PMPs to Your Upload Account	36		
	8.3	Adding SFTP Access to an Upload Account	37		
	8.4	Adding Real-Time Access to an Upload Account	39		
	8.5	Editing Your Upload Account	41		
9		Managing Your User Profile			
	9.1	Editing Your Profile	43		
	9.2	Changing Your Password	44		
	9.3	Resetting Your Password	45		
10		Assistance and Support			
	10.1	Technical Assistance	47		
	10.2	Administrative Assistance	47		
П		Document Information	48		
	11.1	Disclaimer	48		
	11.2	Change Log	48		
Ар	pendi	lix A: ASAP 4.2 Specifications	49		
Ар	pendi	lix B: ASAP Zero Report Specifications	60		
Ар	pendi	lix C: SFTP Configuration	62		
Apı	endix	x D: Real-Time WSDL Configuration	65		
Ар	pendi	lix E: Correct Use of Codes in DSP01	68		
	From Correction 68				

I PDMP Overview

The Missouri Joint Oversight Task Force (JOTF) for Prescription Drug Monitoring was created in 2021 with the passage of SB 63. Senator Holly Thompson-Rehder sponsored the legislation, and it was signed into law by Governor Michael L. Parson.

The JOTF is comprised of six members serving terms not to exceed four years. JOTF members are appointed by their respective state regulatory boards and include two licensed physicians or surgeons from the Board of Healing Arts; two licensed pharmacists from the Board of Pharmacy; one advanced practice registered nurse from the Board of Nursing; and one licensed dentist from the Dental Board.

The JOTF is authorized to supervise the collection and use of patient dispensation information for prescribed Schedule II, III, or IV controlled substances as submitted by dispensers. The Office of Administration provides technical, legal, and administrative support services to the JOTF.

Additional information on the Missouri PDMP can be found on the Missouri PDMP website, https://pdmp.mo.gov/.

2 Data Collection and Tracking

2.1 Data Collection Requirements

Dispensers in the state of Missouri, as required by Section 195.600 RSMo. must electronically submit dispensation information on all Schedule II, III, and IV controlled substances. Dispensers are only to submit information for dispensations occurring within the state of Missouri.

Beginning January 1, 2024, all controlled substance dispensing must be reported within real time of delivery to the patient or their designee using the PMP Clearinghouse system, which is provided by Bamboo, Inc. Submissions can use any available submission method, which can be found under Data Delivery Methods, as long as they are made within real time of the dispensation of the medication.

Zero reports are not required. However, dispensers may file a zero report for their own purposes.

All dispensers of controlled substances must meet the reporting requirements set forth by law and submit data in a secure methodology and format. Reporting Requirements

Effective December 13, 2023, the Missouri PDMP will begin requiring dispensers to report controlled substance dispensation information to the statewide PDMP via PMP Clearinghouse.

The laws and regulations for reporting to the Missouri PDMP are continually subject to amendments. It is the responsibility of dispensers to be aware of such updates to all applicable laws as they are enacted and promulgated. Dispensers of Schedule II, III, and IV controlled substance prescriptions are required to submit dispensation information per Section 195.600, RSMo. Such reporting without individual authorization by the patient is allowed under HIPAA, 45CFR § 164.512, paragraphs (a) and (d). The Missouri PDMP is the oversight agency, and Bamboo Health will be acting as a vendor of the Missouri PDMP in the collection of this information. Appendix A: ASAP 4.2 Specifications contains the required information to be submitted.

Note: If you are a chain pharmacy, your data will likely be submitted from your corporate office. Please verify this with your corporate office. If you are an independent pharmacy or other entity, please forward the reporting requirements to your software vendor. They will need to create the data file, and they may be able to submit the data on your behalf. If not, follow the instructions provided in the <u>Data Submission</u> chapter to submit the data.

2.2 Exemptions

The following entities are exempt from reporting data:

- A hospital as defined in Section 197.020 RSMo. that distributes such substances for the purpose of inpatient care or dispenses prescriptions for controlled substances at the time of discharge from such facility;
- A practitioner or other authorized person who administers such a substance; or
- A wholesale distributor of a Schedule II, III, or IV controlled substance.

The JOTF may promulgate rules regarding alternative forms of transmission or waivers of the time frames due to unforeseen circumstances.

2.3 Noncompliance

A dispenser who knowingly fails to submit dispensation information to the vendor as required, or who knowingly submits incorrect dispensation information, shall be subject to an administrative penalty in the amount of one thousand dollars for each violation. The penalty shall be assessed through an order issued by the JOTF. Any person subject to an administrative penalty may appeal to the administrative hearing commission under the provisions of chapter 62].

Any person who unlawfully and purposefully accesses or discloses, or any person authorized to have patient dispensation information under this section who purposefully discloses or purposefully uses such information in a manner and for a purpose in violation of Section 195.600 RSMo is guilty of a class E felony.

3 Data Submission

This chapter provides information and instructions for submitting data to the PMP Clearinghouse repository.

3.1 Timeline and Requirements

- Pharmacies and software vendors can establish submission accounts and begin submitting data upon receipt of this guide. See <u>Creating Your</u> <u>Account</u> for more information.
- As of December 13, 2023, dispensers are required to transmit their data using PMP Clearinghouse in accordance with the guidelines outlined under Reporting Requirements.

3.2 Upload Specifications

Files should be in the ASAP 4.2 format, which was released in September 2011, as defined in <u>Appendix A: ASAP 4.2 Specifications</u>. Files for upload should be named in a unique fashion, with a prefix constructed from the date (YYYYMMDD) and a suffix of ".dat". An example file name would be "20230415.dat". All of your upload files will be kept separate from the files of others.

Reports for multiple pharmacies can be in the same upload file in any order.

4 Accessing Clearinghouse

This chapter describes how to create your PMP Clearinghouse account and how to log in to the PMP Clearinghouse web portal.

4.1 Creating Your Account


Prior to submitting data, you must create an account. If you are currently registered with the Bamboo Health PMP Clearinghouse system, you do not need to register for a new account—you will be able to add Missouri to your existing account for data submissions. If you have an existing PMP Clearinghouse account, please refer to Adding PMPs to Your Upload Account to add PMPs to your account.

Notes:

- Data from multiple pharmacies can be uploaded in the same file. For example, chain
 pharmacies may send in one file containing controlled substance dispensing information
 from all counties with authorizing legislation (subscribing counties). Therefore, chains with
 multiple stores need only to set up one account to upload a file.
- PMP Clearinghouse allows users to submit data through the web portal via manual entry (UCF) or upload of ASAP files. For users who prefer an encrypted transfer method, SFTP and Real-Time is also available as submission methods. You may set up your SFTP or Real-Time account during the account creation process.
- If you need to make changes to an existing PMP Clearinghouse upload account, please refer to Managing Your Upload Account.

Perform the following steps to create an account:

I. Open an internet browser window and navigate to the PMP Clearinghouse Account Registration page located at https://pmpclearinghouse.net/registrations/new.



2. Complete your Profile Details.

Profile Details	* Indicates Required Fie
Email Address ::	
Password *	Password confirmation :
	"


a. Enter your current, valid email address in the **Email Address** field.

Note: The email address you provide here will act as your username when logging into the PMP Clearinghouse system.

b. Enter a password for your account in the **Password** field, then re-enter it in the **Password Confirmation** field. The password requirements are provided below.

Passwords must contain:


- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 3. Complete your Personal and Employer information, noting the following:
 - Required fields are marked with a red asterisk (*).
 - You may be able to auto-populate your Personal and/or Employer information by entering your (or your employer's) **DEA**, **NPI**, and/or **NCPDP** number, then clicking the search icon (^Q). If the number you entered is found, your information will automatically be populated.



4. If secure file transfer protocol (SFTP) is required, complete the Data Submission section of the page.


Notes:

- If SFTP access is not required, you do not need to complete the Data Submission section, and you may continue to step 6.
- You may add SFTP access to an existing account. Please refer to <u>Adding SFTP Access to</u> an <u>Upload Account</u> for complete instructions.



a. Click to select the **Enable SFTP Access** checkbox.

The SFTP access fields are displayed.



- b. Your **SFTP Username** is automatically generated using the first five characters of your employer's name + your employer's phone number. For example, if you entered "Test" as your employer's name and "555-555-555" as your employer's phone number, your SFTP username would be test5555555555.
- c. Enter a password for your SFTP account in the **SFTP Password** field, then reenter it in the **SFTP Password Confirmation** field. The password requirements are provided below.

Passwords must contain:


- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

This password will be input into the pharmacy or dispenser software so that submissions can be automated.

Notes:

- This password can be the same as the one previously entered under Profile.
- Unlike the Profile password (i.e., your user account password), the SFTP password does not expire.
- The URL to connect via SFTP is <u>submissions.healthcarecoodination.net/</u>.
- Additional details on SFTP configuration can be found in <u>Appendix C: SFTP Configuration</u>.
- 5. Real-Time is required, complete the <u>Data Submission</u> section of the page.


Note: You may add Real-Time Access to an existing account. Please refer to <u>Adding Real-Time Access to an Existing Account</u> for complete instructions.



a) Click to select the **Enable Real-Time Access** checkbox.

The Real-Time access fields are displayed.

Data Submission



b) Enter a password for your Real-Time account in the **Real-Time Password** field, then re-enter it in the **Real-Time Password Confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

This password will be input into the pharmacy software, so submissions can be automated.

Notes:


- This password can be the same as the one previously entered under **Profile**.
- Unlike the Profile password, (i.e., your user account password), the Real-Time password does not expire.
- Additional details on Real-Time configuration can be found in <u>Appendix D: Real-Time WSDL Configuration</u>.

6. In the **Submission Destinations** section of the page, select the PMP(s) for which you will be submitting data.

Note: Selecting multiple PMPs to which to submit data **does not** enable interstate sharing.

7. Click Submit.

The request is submitted to the PMP administrator for each of the PMPs you selected for data submission, and the **Registration Information Overview** page is displayed.




8. Click Continue.

The **PMP Clearinghouse Login** page is displayed. However, you will not be able to log in until your account has been approved by the Missouri PDMP Administrator. Once your account is approved, you will receive a welcome email instructing you to confirm your account. Follow the instructions in the email to confirm your account and begin submitting data to PMP AWARXE.

4.2 Logging In to PMP Clearinghouse

I. Open an internet browser window and navigate to the PMP Clearinghouse Login page located at https://pmpclearinghouse.net/users/sign_in.




- 2. Enter the email address you used to create your account in the **Email Address** field.
- 3. Enter your password in the **Password** field.

Note: If you have forgotten your password, have completed your registration but did not receive the account confirmation email, or your account has been locked and you did not receive the email with instructions for unlocking your account, please refer to the links in the Help section of the page. For detailed instructions on resetting your password, refer to Resetting Your Password.

4. Click Login.

The PMP Clearinghouse home page is displayed.



5 Data Delivery Methods

This chapter provides information about data delivery methods you can use to upload your reportable data file(s) to PMP Clearinghouse.

For quick reference, you may click the desired hyperlink in the following table to view the stepby-step instructions for your chosen data delivery method:

Delivery Method	Page
Secure FTP	12
Web Portal Upload	12
Manual Entry (UCF)	14
Zero Reports	17

5.1 Secure FTP

If you are submitting data to PMP Clearinghouse using SFTP, you must configure individual sub-folders for each individual PMP system to which you are submitting data. These sub-folders must be created in the homedir/directory folder, which is where you are directed once authenticated, and should be named using the PDMP abbreviation (e.g., AK, DC, GU, KS, MO, PR, etc.). Data files not submitted to a state sub-folder will be required to have a manual state PMP assignment made on the File Listings page. Please refer to PMP Subfolders for additional details on this process.

I. If you do not have a PMP Clearinghouse account, perform the steps in <u>Creating Your Account</u>.

Or

- 2. If you have a PMP Clearinghouse account but have not enabled SFTP access, perform the steps in Adding SFTP Access to an Upload Account.
- 3. Prepare the data file(s) for submission, using the ASAP specifications described in Appendix A: ASAP 4.2 Specifications.
- 4. SFTP the file to http://submissions.healthcarecoordination.net.
- 5. When prompted, enter the username and password you created when setting up the SFTP account.
- 6. Place the file in the appropriate PMP-abbreviated directory.
- 7. You can view the results of the transfer/upload on the Submissions page in PMP Clearinghouse.

Note: If you place the data file in the root directory and not a PMP subfolder, a symbol with a mouse over hint of "**Determine PMP**" is displayed on the **File Status** page, and you will be prompted to select a destination PMP to which the data should be sent.

5.2 Real-Time


When submitting data to PMP Clearinghouse using Real-Time you must configure an API connection to transmit your data. If you do not have a PMP Clearinghouse account, perform the steps in <u>Creating Your Account</u>.

OR


- 1. If you have a PMP Clearinghouse account but have not enabled Real-Time access, perform the steps in <u>Adding Real-Time Access to an Upload Account</u>.
- 2. Prepare the data transmission for submission using the ASAP specifications described in Appendix A: ASAP 4.2 Specifications.
- 3. You can view the results of the transfer/upload on the **Submissions** page in PMP Clearinghouse.

5.3 Web Portal Upload

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Prepare the data file(s) for submission, using the ASAP specifications described in Appendix A: ASAP 4.2 Specifications.
- 3. Log in to PMP Clearinghouse.
- 4. From the home page, click the **File Upload** tab.




The File Upload page is displayed.



- 5. Select the PMP to which you are submitting the file from the drop-down list in the **Select PMP** field.
- 6. Click the **Browse** button, located next to the **File Upload** field, and select the file you created in step 2.
- 7. Click Upload.

A message is displayed prompting you to confirm the submission.



8. Click **Upload** to continue with the file submission.

Your file is uploaded, and you can view the results of the upload on the File Submissions page.


Note: When uploading a file, the file name must be unique. If the file name is not unique, a message is displayed indicating that the file name has already been taken.

5.4 Manual Entry (UCF)


You can manually enter your prescription information into the PMP Clearinghouse system using the Universal Claim Form (UCF) within the PMP Clearinghouse web portal. This form allows you to enter patient, prescriber, dispenser, and prescription information.

Please refer to Reporting Requirements for the complete list of reporting requirements.

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Log in to PMP Clearinghouse.
- 3. Click UCF Submissions.




The **UCF** Listings page is displayed.



4. Click the **New Claim Form** tab, located at the top of the page.


The Create Universal Claim Form page is displayed.



- 5. Select the PMP to which you are submitting data from the drop-down list in the **Select a PMP** field.
- 6. Complete the required fields.


Notes:

- An asterisk (*) indicates a required field.
- If you are entering a compound, click the Compound checkbox in the Drug Information section of the page, complete the required fields for the first drug ingredient, then click Add New to add additional drug ingredients.



7. Once you have completed all required fields, click **Save**.

The **Submit Now** button is displayed at the top of the page.




8. Click **Submit Now** to continue with the data submission process.

A message is displayed prompting you to confirm the data submission.



9. Click OK.




Your data will be validated upon submission. If there are any errors on the UCF form, they are displayed at the top of the page.

Note: If there are no errors, you are returned to the **Submitted Claim Forms** page and your report is listed there.

10. Correct the indicated errors, then repeat steps 7–9.

Claim days supply is not a numberClaim authorized refill count can't be blank

 Once your data has been successfully submitted, your report is listed on the UCF Listings page.



5.5 Zero Reports

You may submit your zero report through the PMP Clearinghouse web portal by following the steps below or via SFTP using the ASAP Standard for Zero Reports. For additional details on submitting via SFTP, please refer to Appendix B: ASAP Zero Report Specifications.

You may submit zero reports through the PMP Clearinghouse web portal using one of the following methods:

• Submit a single-click zero report


Create a new zero report

5.5.1 Submit a Single-Click Zero Report

Single-click zero reporting allows you to create a profile for the pharmacy or dispenser that includes its identifiers (e.g., DEA, NPI, NCPDP), so you do not have to enter it each time you submit a zero report.

To create a pharmacy profile and begin submitting single-click zero reports:

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Log in to PMP Clearinghouse.
- 3. Click Zero Reports.




The **Zero Report Listings** page is displayed.



4. Click the Create Zero Report tab.

The Create Zero Report page is displayed.


Note: Submit a Single Click Zero Report is selected by default.



 Any pharmacies or dispensaries you have already configured for singleclick zero reporting are displayed at the bottom of the page. Continue to Step 10 to submit a zero report for those pharmacies.


- If you have not configured your pharmacy or dispenser for single-click zero reporting, continue to Step 5.
- 5. Click Add New Pharmacy.

The **New Pharmacy** page is displayed.



- 6. Select the PMP for which you are submitting a zero report from the drop-down list in the **PMP** field.
- 7. Enter the pharmacy or dispensary's name in the **Pharmacy** field.
- 8. Populate the **NCPDP**, **DEA Number**, and/or **NPI** fields as required by the PMP you selected in step 6. If any of these fields are required, a red asterisk (*) will be displayed next to that field once you have selected a PMP.
- 9. Click Save.


The pharmacy is saved and will be listed under the drop-down for the selected PMP, which is located at the bottom of the page.



10. Click the plus sign ("+") next to the PMP for which you wish to submit a zero report.

The list of pharmacies you have configured for single-click zero reporting for that PMP is displayed.

Note: This page allows you to submit a zero report for the current date (**Today**) or the previous day (**Yesterday**).



- Click **Today** to submit a zero report for the current date;
 Or
- 12. Click **Yesterday** to submit a zero report for the previous date.

Once the report is submitted, the submission is indicated on the screen, and the zero report is displayed on the **Zero Report Listings** tab.




Note: You may edit or delete a pharmacy or dispensary from this page.

- To edit a pharmacy, click Edit to display the Edit Pharmacy page and make any necessary changes. Refer to steps 6–9 for guidance on entering pharmacy information.
- To delete a pharmacy, click **Delete**. You will be prompted to confirm the deletion. Once you confirm the deletion, the pharmacy configuration will be removed.

5.5.2 Create a New Zero Report

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Log in to PMP Clearinghouse.
- 3. Click **Zero Reports**.




The **Zero Report Listings** page is displayed.



4. Click the Create Zero Report tab.


The Create Zero Report page is displayed.

Note: Submit a Single Click Zero Report is selected by default.




5. Click the button to select **Create new Zero Report**.

The Create Zero Report page is displayed.



- 6. Select the PMP for which you are submitting a zero report from the drop-down list in the **PMP** field.
- 7. Enter the start date and end date for the zero report in the **Start date** and **End date** fields using the *MM/DD/YYYY* format. You may also select the dates from the calendar that is displayed when you click in these fields.



8. Enter your NCPDP, DEA, and/or NPI numbers, if required by the PMP.

Note: If any of these fields are required by the PMP, they will be marked with a red asterisk (*).

9. Click **Submit**.

Your zero report is submitted to PMP Clearinghouse and will be displayed on the **Zero Report Listings** tab.


6 Data Compliance

This chapter describes how to view the status of your submitted data files and how to correct errors.

6.1 File Listings

The **File Listings** page displays information extracted from the data files submitted to PMP Clearinghouse, including the file name, number of records identified within the data file, number of records that contain warnings, number of records that contain errors, and the date and time of submission. The **File Listings** page is displayed upon logging into Clearinghouse; you may also click **File Submissions** from the menu at any time to access this page.

You may sort the **File Listings** page by account name, file name, PMP, number of records, warning count, error count, and date submitted. You may also click the account name to display the account details.




- The **Status** column, located at the end of each row, displays the file status via color-coded icon. Hovering over the icon will display the status message.
- The Status Report column, located next to the Status column, contains a link to
 the status report for that file. Please refer to <u>File Status Report</u> for more
 information on how to read and interpret this report.

If a file contains errors, it will have a • symbol with a mouse over hint of "Pending Dispensation Error" within the status column. You can click the error icon in the Status column to display the Error Correction page, which allows you to view the records containing errors (see View Records for more information). Please refer to Error Correction for instructions on how to correct errors.

If a file is unable to be parsed into the PMP Clearinghouse application, it will have an symbol with a mouse over hint of "ASAP Errors." Clicking the icon will display the detailed error, which indicates what element was missing or malformed. To correct these errors, a new file must be submitted to PMP Clearinghouse. It is not necessary to void a file that failed parsing since it was not successfully submitted to PMP Clearinghouse.

If you submitted a file via SFTP without using a PMP-specific sub-folder, the file will be displayed, and symbol will be displayed in the status column with a mouse over hint of "Determine PMP." Clicking the icon will prompt you to select a destination PMP to which the data file will be transferred.



If you submitted a zero report via file upload or SFTP that is malformed or missing information, the file will be displayed, and an exclamation mark icon inside a red triangle will be displayed in the status column. Hovering over the icon will display the "Invalid Zero Report" error. Clicking on the icon will display the detailed error message. To correct these errors, a new zero report must be submitted. Error example:



6.2 UCF Listings

The **UCF** Listings page displays information about the UCFs submitted to PMP Clearinghouse, including the number of warnings and errors. Click **UCF** Submissions to access this page.


You may sort the **UCF Listings** page date created, PMP, warning count, error count, and status.



The **Status** column, located at the end of each row, displays the UCF's status. Data entered into the UCF is validated upon submission; therefore, successfully submitted UCFs should not contain errors. However, if you have attempted to submit a UCF with

errors and did not immediately correct those errors and submit the record, you have up to one (I) year to make updates to these records in Clearinghouse.

1. To view pending or incomplete submissions, click the Manage Claim Forms tab.




The **Pending Claim Forms** page is displayed.



2. Click **Edit** next to the form you wish to update.

Note: If it has been longer than one year, the **Edit** option will not be available. You must click **Delete** to delete the record and start over.

The **Edit Universal Claim Form** page is displayed.




3. Make the necessary corrections or changes, and then click **Submit Now**, located at the top of the page.

A message is displayed prompting you to confirm the data submission.



4. Click OK.

Your data will be validated upon submission. If there are any remaining errors on the UCF form, they are displayed at the top of the page.




Note: If there are no errors, you are returned to the UCF Listings page and your report is listed there.

- 5. Correct the indicated errors, then repeat steps 3-4.
- 6. Once your data has been successfully submitted, your report is listed on the **UCF Listings** page.

6.3 Error Correction Page

6.3.1 View Records with Errors


The **Error Correction** page displays more information about the records within a selected data file that need correcting, including **Prescription Number, Segment Type, Warning Count**, and **Error Count**. To access this page, click the "**Pending Dispensation Error**" message in the **Status** column of the <u>File Listings</u> page.



The **Correct** button, located at the end of each row, allows you to make corrections to the record.

6.3.2 Error Correction via PMP Clearinghouse

Once you click **Correct** on the **Error Correction** page, the **Errors** page is displayed. This page displays detailed information about the records within a selected data file that need correcting, including all the fields contained within the record and the originally submitted value, and allows you to correct those records.



- The Corrected Value column allows you to enter a new value to correct the error.
- The **Message** column displays the relevant error message explaining why the value entered in that field did not pass the validation rules.

For files that failed to parse, the error identified is "best effort" and any information we could not parse is listed as "unparseable" in the file. In this case, you must submit a corrected file.

To correct records:

- I. Identify the fields that require corrections. Fields containing errors are highlighted in red, as shown in the screenshot above.
- 2. Enter the corrected value in the **Corrected Value** column.
- 3. Click Submit.

The error is processed through the validation rules.

- a. If the changes pass the validation rules, the record is valid, and a message is displayed indicating that the errors have been corrected. The File Listings and Error Correction pages are also updated.
- b. If the changes fail the validation rules, a message is displayed indicating that there was a problem correcting the errors, and the **Message** column is updated with any new error message. Repeat steps 2–3 until the errors have been corrected and the file can be successfully submitted.

6.3.3 Error Correction via File Submission

The ASAP 4.2 standard requires a pharmacy or dispenser to select an indicator in the **DSP01** (Reporting Status) field. These indicators allow you to submit new records, revise and resubmit records, and void (delete) erroneous records.

These actions are indicated by supplying one of the following values in the **DSP01** field:

- 00 New Record indicates a new record
- 01 Revise indicates that one or more data elements in a previouslysubmitted record have been revised

To revise a record:

- a. Create a record with the value "01" in the **DSP01** field.
- b. Populate the following fields with the same information originally submitted in the record that is being revised:
 - PHA03 (DEA Number)
 - **DSP02** (Prescription Number)
 - DSP05 (Date Filled)
- c. Fill in all other data fields with the correct information. This information will override the original data linked to the fields referenced in step 2.
- d. Submit the record.

Important Note: When submitting revisions for the Prescription Number (DSP02), Pharmacy DEA (PHA03), Date Filled (DSP05), Quantity Filled (DSP09), and/or Refill Number (DSP06) fields, a Void submission (02) on the original record should be processed before re-submitting a New Record (00). Submitting Revise (01) for one of these five fields will process as a new prescription and both submissions will appear. All other field revisions may be processed as 01.

- 02 Void indicates that the original record should be removed
 To void a record:
 - a. Create a record with the value "02" in the DSP01 field.
 - b. Fill in all other data identical to the original record.
 - c. Submit the record. This will void the original record.

6.4 Return to Stock

Dispensation records submitted to the PDMP that were returned to stock must be voided. To void a record, enter "02" in the **DSP01** field and fill all other fields identical to the original record. The original record will then be voided. See <u>Appendix A</u> for data submission requirements.

7 Email Reports

Email status reports are automatically sent to all users associated with a specific data submitter account. These reports are used to identify errors in files that have been submitted and to confirm zero report submissions. This chapter describes the status reports you may receive via email.

7.1 File Failed Report

You will receive the File Failed Report if a submitted file was not able to be parsed and was not processed into PMP Clearinghouse. The report contains a description of the error encountered within the file. In the event of a failed file, a new file should be submitted with the necessary corrections.

Note: Failed files are not parsed into Clearinghouse and do not require a voided ASAP file to remove it from the system.

An example File Failed Report is provided below.

SUBJ: Missouri ASAP file: fake-test3.txt - Parse Failure

BODY:

Error Message

Failed to decode the value '04' for the bean id 'transactionControlType'.

Summary:

- * File Name: fake-test3.txt
- * ASAP Version: 4.2
- * Transaction Control Number: unparseable
- * Transaction Control Type: unparseable
- * Date of Submission: January 30, 2016

NOTE: This file could not be received into the system because the system could not recognize its content as a valid ASAP format. Action is required to resolve the issues and a subsequent file should be submitted. As such the information provided in this report is "best effort" and any information we could not parse is listed as "unparseable" in the fields above.

7.2 File Status Report

The File Status Report serves as notification that a data file is currently being parsed by the PMP system.

This report identifies specific records in the submitted data file and returns identifying information about the record, including specific errors identified during the validation process. It uses fixed-width columns and contains a summary section after the error listings. Each column contains a blank two-digit pad at the end of the data.

The columns are set to the following lengths:

Column	Length
DEA	II (9 + pad)
NCPDP	9 (7 + pad)
NPI	12 (10 + pad)
Prescription	27 (25 + pad)
Filled	10 (8 + pad)
Segment	18 (16 + pad)
Field	18 (16 + pad)
Туре	9 (7 + pad)
Message	Arbitrary

The File Status Report notifies you of the following scenarios:

- Total records: The total number of records contained in the submitted data file.
- Duplicate records: The number of records that were identified as already existing
 within the PMP system. Duplicate records are not imported to prevent improper
 patient information.
- Records in process: The number of records remaining to be processed into the system (usually only displays a number if the file has not finished loading at the time the report is sent out).

Note: Records remaining to be processed will continue to be processed even after the status report is sent.

- Records with errors: The number of records that contain errors. These errors
 must be corrected for the record to be imported into the system. If a zero (0) is
 displayed, there are no errors in the data. Please refer to Error Correction for
 instructions on correcting errors.
- **Records with warnings**: The number of records that contain warnings. These warnings do not need to be corrected for the record to be imported into the system. If a zero (0) is displayed, there are no warnings in the data.
- Records imported with warnings: The number of records with warnings that
 were imported. If a record contains both warnings and errors, the errors must be
 corrected to be submitted to the system. Please refer to Error Correction for
 instructions on correcting errors.
- Records imported without warnings: The number of records without warnings that were imported.

Note: The initial File Status Report is sent out two (2) hours after the file has been submitted to the system. Additional reports will be sent out every 24 hours if errors continue to be identified within a submitted data file.

An example File Status Report is provided on the following page.

SUBJ: Misso	SUBJ: Missouri ASAP file: fake-test3.txt - Status Report						
BODY:	NCDD	NDI	Dracevintion	T:llod	Commont	Field Type	Massaga
DEA	NCPD	NPI	Prescription	Filled	Segment	Field Type 	Message
BE1234567	1347347	9034618394	123486379596-0	20230808	Dispensation	refill_number	WARNING message example
DE9841394	3491849	4851947597	357199504833-345	20230808	Dispensation	days_supply	ERROR message example
Summary:							
* File Name:	fake-test	3.txt					
* ASAP Vers	ion: 4.2						
* Transactio	n Control	Number: 234	89504823				
* Transactio	n Control	Type: send					
* Date of Su	bmission:	January 30, 2	023				
* Total Reco	rd Count:	###					
* Duplicate Records: ###							
* In Process Count: ###							
* Records with Error Count: ###							
* Imported I	Records C	ount: ###					
* Records Imported with Warning Count: ###							

7.3 Zero Report Confirmation

You will receive a Zero Report Confirmation after successfully submitting a zero report to PMP Clearinghouse. This report displays the PMP to which the zero report was submitted, date range for the zero report, date the zero report was submitted to PMP Clearinghouse, and date the report was originally created.

An example Zero Report Confirmation is provided below.

SUBJ: ASAP Zero Report: zero_reports_20230301KSMCPS.DAT

BODY:

Summary:

* File Name: zero_reports_20230301KSMCPS.DAT

* PMP Name: Missouri

* Date Range: 2023-03-06 - 2023-03-06

* Submission Date: 2023-08-23 * ASAP Creation Date: 2023-03-06

8 Managing Your Upload Account


The **Account** menu option allows you to manage the information associated with your organization's upload account, including adding users, PMPs, and SFTP access to your account as well as editing your organization's account information.

Note: This chapter contains information for managing the upload account with which your user account is associated. For information about editing and managing your individual user account, including how to change your password, please refer to <u>Managing Your User Profile</u>.


8.1 Adding Users to Your Upload Account

PMP Clearinghouse allows data submitters to add new users to the system who have the same rights and access to submitting data and viewing file status. This practice allows you to create an account to be used for a backup individual.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.




3. Select **Users** from the **Account** drop-down menu. The **Account Users** page is displayed.



4. Click **New User**, located in the top right corner of the page.

The **New Data Submitter User** page is displayed.



5. Enter the new data submitter's email address, first name, and last name in the appropriate fields.

Note: All fields are required.


6. Click Submit.

The user is added to the list of data submitters for your organization, and you are returned to the **Account Users** page.

- 7. Please inform the new user of the account creation.
 - a. The user will receive an email with a link for them to confirm their account.
 - b. Once the account has been confirmed, the user will need to navigate to the PMP Clearinghouse Login page and click **Forgot your password?** to create a password for their account and log in.
 - c. Upon logging in, the user will be able to view all files submitted for your organization's upload account.


8.1.1 Changing Another User's Password

- I. Log in to PMP Clearinghouse.
- 2. Click Account.




3. Select **Users** from the **Account** drop-down menu.

The **Account Users** page is displayed.



4. Click the **Edit** button, located to the right of the user's information.

The Edit Data Submitter User page is displayed.



5. Enter a new password for the user in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:


- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 6. Click **Submit**.

The password is changed.

8.2 Adding PMPs to Your Upload Account


If your organization needs to submit data files to an additional PMP that uses PMP AWARXE, you can submit the request through PMP Clearinghouse.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.



3. Select **Multi State Approval** from the *Account* drop-down menu.

The **Multi State Approval** page is displayed. This page displays all PMPs currently using the PMP AWARxE system as well as your data sharing status with each one.



4. To request to submit data to another PMP, click to select the checkbox next to that PMP.

PMP Clearinghouse automatically saves your changes, and your request is submitted to the PMP administrator for review and approval. Once the request has been approved, the status for that PMP will change from "Pending" to "Approved," and you may begin submitting data to that PMP.


Notes:

- If you are submitting data via SFTP, the file must be located in the proper subfolder to ensure delivery to the desired PMP.
- To cancel data submission to a PMP, uncheck the box for that state. Note that if you
 need to submit data to that state again in the future, you will have to go through the
 approval process again.

8.3 Adding SFTP Access to an Upload Account

If a registered upload account did not request an SFTP account during the account creation process, you can request one at any time using the **Account** menu option.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.



3. Select SFTP Details.

The SFTP Account page is displayed.



Note: If an SFTP account already exists for the upload account, the username is displayed on the SFTP Account page.



You cannot change the SFTP account username; however, you can update the password by clicking **Edit**.

4. Click Create.

The Create a New SFTP Account page is displayed.

SFTP Accoun	t CREATE A NEW SFTP ACCOUNT
Name	Username of the SFTP account.
Password	
Password confirmation	
	Create Cancel

5. Enter a username for the account in the **Name** field.

Notes:

- The username must contain a minimum of eight (8) characters.
- Once the SFTP account has been created, you cannot change the username.
- 6. Enter a password for the account in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

Once the account has been successfully created, this password will be input into the pharmacy software so that submissions can be automated.

Notes:

- This password can be the same as the one used when the upload account was created.
- Unlike your Profile password (i.e., your user account password), the SFTP password does not expire.
- The URL to connect via SFTP is submissions.healthcarecoordination.net/.
- Additional details on SFTP configuration can be found in <u>Appendix C: SFTP</u> <u>Configuration</u>.
- 7. Click Create.


The account is created, and the username is displayed.



8.4 Adding Real-Time Access to an Upload Account


If a registered upload account did not request a **Real-Time** account during the account creation process, you can request one at any time using the **Account** menu option.

- I. Log into PMP Clearinghouse
- 2. Click Account




3. Select Real-Time Details

The **Real-Time Account** page is displayed.




Note: If a Real-Time account already exists for the upload account, the username is displayed on the **Real-Time Account** page.



You cannot change the Real-Time account username; however, you can update the password by clicking **Edit.**

4. Click Create

The Create a New Real-Time Account page is displayed.



5. Enter a username for the account in the **Name** field.

Notes:

- The username must contain a minimum of eight (8) characters.
- Once the Real-Time account has been created, you cannot change the username.
- 6. Enter a password for the account in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

Once the account has been successfully created, this password will input into the pharmacy software so that submissions can be automated.

Notes:

This password can be the same as the one used when the upload account was created.

- Unlike your profile password, (i.e., your user account password), the Real-Time password does not expire.
- Additional details on Real-Time configuration can be found in Appendix D: Real-Time Configuration.


7. Click Create

The account is created, and the username is displayed.

8.5 Editing Your Upload Account


Note: This function only allows you to edit your organization's upload account. If you need to edit your individual profile information, please refer to Editing Your Profile.

- I. Log in to PMP Clearinghouse.
- 2. Click Account.




3. Select Account Details.

The **Account** page is displayed as shown on the following page.



4. Click Edit.

The **Edit Account** page is displayed.



5. Update the information as necessary, then click **Save Changes**. The account information is updated.

9 Managing Your User Profile


This chapter describes how to manage your individual user profile, including how to edit your profile and manage your password.

Note: This chapter contains information for managing your individual user profile. For information about managing your organization's upload account, including how to add users, please refer to <u>Managing Your Upload Account</u>.

9.1 Editing Your Profile


Note: This function only allows you to edit your individual profile information. If you need to edit the Organization Information, please refer to <u>Editing Your Upload Account</u>.

- I. Log in to PMP Clearinghouse.
- 2. Click My Profile.



3. Select Edit My Profile.

Edit Profile




4. Update your information as necessary, then click **Save Changes**. Your changes are saved, and your updated profile is displayed.


9.2 Changing Your Password

Note: Clearinghouse passwords expire every 90 days. You can use this function to proactively change your password before it expires. If your password has already expired, or you have forgotten your password, navigate to the PMP Clearinghouse Login page and click **Forgot your password?** to reset it. Please refer to <u>Resetting Your Password</u> for more information.

- I. Log in to PMP Clearinghouse.
- 2. Click My Profile.



3. Select Change Password.



- 4. Enter your current password in the **Current Password** field.
- 5. Enter your new password in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter

- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 6. Click **Update**.

Your password is updated, and you will use it the next time you log in to PMP Clearinghouse.


9.3 Resetting Your Password

If you have forgotten your password or your password has expired, perform the following steps to reset it.

I. Open an internet browser window and navigate to the PMP Clearinghouse Login page located at https://pmpclearinghouse.net/users/sign_in.



2. Click the **Forgot your password?** link, located in the **Help** section of the page. The **Forgot your password?** page is displayed.



- 3. Enter the email address associated with your user account, then click **Send me** reset password instructions.
- 4. Once you receive the reset password email, click the **Change my password** link within the email.

The Change your password page is displayed.

Change your password				
* New password* Confirm your new password				
	Change my password			

5. Enter your new password in the **New password** field, then re-enter it in the **Confirm your new password** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 6. Click Change my password.

Your password is changed, and you can now use it to log in to PMP Clearinghouse.

10 Assistance and Support

10.1 Technical Assistance

If you need additional help with any of the procedures outlined in this guide, you can:

- Contact Bamboo Health at 1-844-947-8526;
 OR
- Create a support request at the following URL: https://pmpclearinghouse.zendesk.com/hc/en-us/

Technical assistance is available 24 hours per day, 7 days per week, 365 days per year.

10.2 Administrative Assistance

For policy- or program-related questions, email the Missouri PDMP at PDMP@oa.mo.gov.

II Document Information

II.I Disclaimer

Bamboo Health has made every effort to ensure the accuracy of the information in this document at the time of printing; however, information is subject to change.

11.2 Change Log

Version	Date	Chapter/Section	Change Made
1.0	12/01/2015	N/A	Initial publication
2.0	11/05/2024	Global	Updated guide to current branding standards
		Global	Updated sFTP hostname information
		6.2/UCF Listings	Updated time to edit/delete UCF submissions
		5.5/Zero Reports	Remove indications to zero reporting requirements
2.1	02/06/2025	Appendix A/ASAP 4.2 Specifications	Changed reporting requirement for DSP03 from O to R
		6.3.3/Error Correction via File Submission	Added additional guidance for revising and voiding files
2.2	03/18/2025	Appendix A/ASAP 4.2 Specifications	Updated guidance to reporting field DSP13 per state's request

Appendix A: ASAP 4.2 Specifications

The information on the following pages contains the definitions for the specific contents required of uploaded records in the American Society for Automation in Pharmacy (ASAP) format to comply with the Missouri PDMP requirements.

Note: For more information, contact the American Society for Automation in Pharmacy for the full Implementation Guide for the ASAP Standard for Prescription-Monitoring Programs. This guide includes field lengths, acceptable attributes, and examples.

The following table lists this Segment, Element ID, Element Name, and Requirement. The Requirement column uses the following codes:

- R = Required
- S = Situational
- O = Optional

Segment	Element	Element Name	Requirement
	ID		
		r (required) f a transaction. It also assigns the data element separator, segment	terminator, and
	TH01	Version/Release Number	R
		Code uniquely identifying the transaction.	
		Format = xx.x	
	TH02	Transaction Control Number	R
		Sender assigned code uniquely identifying a transaction.	
	TH03	Transaction Type	S
		Identifies the purpose of initiating the transaction.	
		01 Send/Request Transaction	
		 02 Acknowledgement (used in Response only) 	
		03 Error Receiving (used in Response only)	
		 04 Void (used to void a specific Rx in a real-time transmission or an entire batch that has been transmitted) 	
	TH04	Response ID	S
		Contains the Transaction Control Number of a transaction that initiated the transaction. Required in response transaction only.	
	TH05	Creation Date	R
		Date the transaction was created. Format: CCYYMMDD.	
	TH06	Creation Time	R
		Time the transaction was created. Format: HHMMSS or HHMM.	
	TH07	File Type	R
		P = Production	
		• T = Test	
	TH08	Routing Number	0
		Reserved for real-time transmissions that go through a network switch to indicate, if necessary, the specific PMP the transaction should be routed to.	
	TH09	Segment Terminator Character	R
		This terminates the TH segment and sets the actual value of the data segment terminator for the entire transaction.	
	tion Source ((required) nd identification numbers of the entity supplying the information.	
	ISOI	Unique Information Source ID	R
		Reference number or identification number.	
		(Example: phone number)	
	IS02	Information Source Entity Name	R
		Entity name of the Information Source.	
	IS03	Message	0
		Free-form text message.	

Segment	Element ID	Element Name	Requirement
PHA: Phar	macy Heade	r (required)	
	ntify the pharm		
Note: It is a PHA03.	required that in	formation be provided in at least one of the following fields: PHA0	I, PHA02, or
	PHA01	National Provider Identifier (NPI)	0
		Identifier assigned to the pharmacy by CMS.	
	PHA02	NCPDP/NABP Provider ID	0
		Identifier assigned to pharmacy by the National Council for Prescription Drug Programs.	
	PHA03	DEA Number	R
		Identifier assigned to the pharmacy by the Drug Enforcement Administration.	
	PHA04	Pharmacy Name	0
		Free-form name of the pharmacy.	
	PHA05	Address Information – I	0
		Free-form text for address information.	
	PHA06	Address Information – 2	0
		Free-form text for address information.	
	PHA07	City Address	0
		Free-form text for city name.	
	PHA08	State Address	0
		U.S. Postal Service state code.	
	PHA09	ZIP Code Address	0
		U.S. Postal Service ZIP Code.	
	PHA10	Phone Number	0
		Complete phone number including area code. Do not include hyphens.	
	PHAII	Contact Name	0
		Free-form name.	
	PHA12	Chain Site ID	0
		Store number assigned by the chain to the pharmacy location. Used when the PMP needs to identify the specific pharmacy from which information is required.	
		on (required) 's name and basic information as contained in the pharmacy record	
	PAT01	ID Qualifier of Patient Identifier	R
		Code identifying the jurisdiction that issues the ID in PAT03.	

Segment	Element ID	Element Name	Requirement
	PAT02	ID Qualifier	R
	17172	Code to identify the type of ID in PAT03. If PAT02 is used,	
		PAT03 is required.	
		01 Military ID	
		02 State Issued ID	
		03 Unique System ID	
		05 Passport ID	
		06 Driver's License ID	
		07 Social Security Number	
		08 Tribal ID	
		99 Other (agreed upon ID)	
	PAT03	ID of Patient	R
		Identification number for the patient as indicated in PAT02.	
		An example would be the driver's license number.	
	PAT04	ID Qualifier of Additional Patient Identifier	0
		Code identifying the jurisdiction that issues the ID in PAT06.	
		Used if the PMP requires such identification.	
	PAT05	Additional Patient ID Qualifier	0
		Code to identify the type of ID in PAT06 if the PMP requires a second identifier. If PAT05 is used, PAT06 is required.	
		01 Military ID	
		02 State Issued ID	
		03 Unique System ID	
		05 Passport ID	
		06 Driver's License ID	
		07 Social Security Number	
		08 Tribal ID	
		• 99 Other (agreed upon ID)	
	PAT06	Additional ID	0
		Identification that might be required by the PMP to further identify the individual. An example might be that in PAT03 driver's license is required and in PAT06 Social Security number is also required.	
	PAT07	Last Name	R
		Patient's last name.	
	PAT08	First Name	R
		Patient's first name.	
	PAT09	Middle Name	0
		Patient's middle name or initial if available.	
	PATI0	Name Prefix	0
		Patient's name prefix such as Mr. or Dr.	
	PATII	Name Suffix	0
		Patient's name suffix such as Jr. or the III.	

Segment	Element ID	Element Name	Requirement
	PAT12	Address Information – I	R
		Free-form text for street address information.	
	PAT13	Address Information – 2	0
		Free-form text for additional address information.	
	PAT14	City Address	R
		Free-form text for city name.	
	PAT15	State Address	R
		U.S. Postal Service state code	
		Note: Field has been sized to handle international patients not residing in the U.S.	
	PATI6	ZIP Code Address	R
		U.S. Postal Service ZIP code.	
		Populate with zeros if patient address is outside the U.S.	
	PAT17	Phone Number	0
		Complete phone number including area code. Do not include hyphens.	
	PAT18	Date of Birth	R
		Date patient was born.	
		Format: CCYYMMDD	
	PAT19	Gender Code	0
		Code indicating the sex of the patient.	
		F Female	
		M Male	
		U Unknown	
	PAT20	Species Code	0
		Used if required by the PMP to differentiate a prescription for an individual from one prescribed for an animal.	
		01 Human	
		02 Veterinary Patient	

Segment	Element	Element Name	Requirement
	ID		
	PAT21	Patient Location Code Code indicating where patient is located when receiving pharmacy services. Ol Home Ol Intermediary Care Ol Nursing Home Ol Long-Term/Extended Care Ol Rest Home Ol Boarding Home Ol Skilled-Care Facility Ol Sub-Acute Care Facility Ol Acute Care Facility Il Hospice Ol Bulknown	0
		• 99 Other	
	PAT22	Country of Non-U.S. Resident Used when the patient's address is a foreign country and PATI2 through PATI6 are left blank.	0
	PAT23	Name of Animal Used if required by the PMP for prescriptions written by a veterinarian and the pharmacist has access to this information at the time of dispensing the prescription.	0
Used to iden	nsing Record	(required) omponents of a dispensing of a given prescription order including t	he date and
quantity.	DSP01	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: 00 New Record (indicates a new prescription dispensing transaction) 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised) 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored).	R
	DSP02	Prescription Number Serial number assigned to the prescription by the pharmacy.	R
	DSP03	Date Written Date the prescription was written (authorized). Format: CCYYMMDD Note: Reporting of DSP03 is required by ASAP, but not by 195.600, RSMo.	R

Segment	Element	Element Name	Requirement
	ID		
	DSP04	Refills Authorized	R
		The number of refills authorized by the prescriber.	
	DSP05	Date Filled	R
		Date prescription was filled.	
		Format: CCYYMMDD	
	DSP06	Refill Number	RI
		Number of the fill of the prescription.	
		0 indicates New Rx; 01-99 is the refill number.	
	DSP07	Product ID Qualifier	R
		Used to identify the type of product ID contained in DSP08.	
		• 01 NDC	
		 06 Compound (indicates a compound; if used, the CDI segment becomes a required segment) 	
	DSP08	Product ID	R
		Full product identification as indicated in DSP07, including	
		leading zeros without punctuation.	
	DSP09	Quantity Dispensed	R
		Number of metric units dispensed in metric decimal format.	
		Example: 2.5	
		Note: For compounds show the first quantity in CDI04.	
	DSP10	Days' Supply	R
		Estimated number of days the medication will last.	
	DSPII	Drug Dosage Units Code	R
		Identifies the unit of measure for the quantity dispensed in DSP09.	
		01 Each	
		• 02 Milliliters (ml)	
		03 Grams (gm)	
	DSP12	Transmission Form of Rx Origin Code	0
		Code indicating how the pharmacy received the prescription.	
		01 Written Prescription	
		02 Telephone Prescription	
		03 Telephone Emergency Prescription	
		04 Fax Prescription	
		05 Electronic Prescription	
		• 99 Other	

Segment	Element	Element Name	Requirement
	ID		_
	DSP13	Partial Fill Indicator Used when the quantity in DSP09 is less than the metric quantity per dispensing authorized by the prescriber. This dispensing activity is often referred to as a split filling.	R
		00 Not a Partial Fill	
		01 First Partial Fill	
		Note: For additional fills per prescription, increment by 1. So, the second partial fill would be reported as 02, up to a maximum of 99.	
	DSP14	Pharmacist National Provider Identifier (NPI)	0
		Identifier assigned to the pharmacist by CMS. This number can be used to identify the pharmacist dispensing the medication.	
	DSP15	Pharmacist State License Number	0
		This data element can be used to identify the pharmacist dispensing the medication.	
		Assigned to the pharmacist by the State Licensing Board.	
	DSP16	Classification Code for Payment Type Code identifying the type of payment (i.e., how it was paid	0
		for).	
		01 Private Pay02 Medicaid	
		02 Medicaid 03 Medicare	
		04 Commercial Insurance	
		05 Military Installations and VA	
		06 Workers' Compensation	
		O7 Indian Nations	
		• 99 Other	
	DSP17	Date Sold	0
		Usage of this field depends on the pharmacy having a point-of-sale system that is integrated with the pharmacy management system to allow a bidirectional flow of information.	J
	DSP18	RxNorm Code Qualifier	0
		RxNorm Code that is populated in the DRU-010-09 field in the SCRIPT transaction.	
		01 Sematic Clinical Drug (SCD)	
		 02 Semantic Branded Drug (SBD) 	
		 03 Generic Package (GPCK) 	
		 04 Branded Package (BPCK) 	
	DSP19	RxNorm Code	0
		Used for electronic prescriptions to capture the prescribed drug product identification.	
	DSP20	Electronic Prescription Reference Number	0
		This field should be populated with the Initiator Reference Number from field UIB-030-01 in the SCRIPT transaction.	

Segment	Element ID	Element Name	Requirement			
	DSP21	Electronic Prescription Order Number This field should be populated with the Initiator Control Reference from field UIH-030-01 in the SCRIPT standard.	0			
	PRE: Prescriber Information (required) Used to identify the prescriber of the prescription.					
	PRE01	National Provider Identifier (NPI) Identifier assigned to the prescriber by CMS.	0			
	PRE02	DEA Number Identifying number assigned to a prescriber or an institution by the Drug Enforcement Administration (DEA).	R			
	PRE03	DEA Number Suffix Identifying number assigned to a prescriber by an institution when the institution's number is used as the DEA number.	0			
	PRE04	Prescriber State License Number Identification assigned to the prescriber by the State Licensing Board.	0			
	PRE05	Last Name Prescriber's last name.	0			
	PRE06	First Name Prescriber's first name.	0			
	PRE07	Middle Name Prescriber's middle name or initial.	0			
	PRE08	Phone Number Complete phone number including area code. Do not include hyphens.	0			
Use of this so reporting dru would be inc	egment is requi ug. If more than remented by o	ngredient Detail (situational) red when medication dispensed is a compound and one of the ingredient is for a prescription monitoring program reporting the for each compound ingredient being reported. of DSP08 must be 99999999999999999999999999999999999				
		First reportable ingredient is 1; each additional reportable ingredient is incremented by 1.				
	CDI02	Product ID Qualifier Code to identify the type of product ID contained in CDI03. • 01 NDC	S			
	CDI03	Product ID Full product identification as indicated in CDI02, including leading zeros without punctuation.	S			
	CDI04	Compound Ingredient Quantity Metric decimal quantity of the ingredient identified in CDI03. Example: 2.5	S			

Sammant.	Flowsont	Element Name	Dominonont
Segment	Element ID	Element Name	Requirement
	CD105	Compound Drug Dosage Units Code	S
	CDIOS	Identifies the unit of measure for the quantity dispensed in	
		CDI04.	
		01 Each (used to report as package)	
		02 Milliliters (ml) (for liters, adjust to the decimal milliliter	
		equivalent)	
		03 Grams (gm) (for milligrams, adjust to the decimal gram equivalent)	
AIR: Additi	onal Informat	ion Reporting (situational)	
		alized Rx pads are used, the PMP requires information on the pers	son dropping off
	•	n, or for data elements not included in other detail segments.	
Note: If this	segment is used	d, at least one of the data elements (fields) will be required.	
	AIR01	State Issuing Rx Serial Number	0
		U.S.P.S. code of state that issued serialized prescription blank.	
	41000	This is required if AIR02 is used.	
	AIR02	State Issued Rx Serial Number	0
		Number assigned to state issued serialized prescription blank.	_
	AIR03	Issuing Jurisdiction	0
		Code identifying the jurisdiction that issues the ID in AIR04.	
		Used if required by the PMP and AIR04 is equal to 02 or 06.	
	AIR04	ID Qualifier of Person Dropping Off or Picking Up Rx	0
		Used to identify the type of ID contained in AIR05 for person dropping off or picking up the prescription.	
		01 Military ID	
		02 State Issued ID	
		03 Unique System ID	
		05 Passport ID	
		06 Driver's License ID	
		07 Social Security Number	
		08 Tribal ID	
		99 Other (agreed upon ID)	
	AIR05	ID of Person Dropping Off or Picking Up Rx	0
		ID number of patient or person picking up or dropping off the	
		prescription.	
	AIR06	Relationship of Person Dropping Off or Picking Up Rx	0
		Code indicating the relationship of the person.	
		• 01 Patient	
		02 Parent/Legal Guardian 03 Salama	
		• 03 Spouse	
		• 04 Caregiver	
	AIDAT	99 Other	
	AIR07	Last Name of Person Dropping Off or Picking Up Rx	0
		Last name of person picking up the prescription.	

Segment	Element ID	Element Name	Requirement		
AIR08		First Name of Person Dropping Off or Picking Up Rx O			
		First name of person picking up the prescription.			
	AIR09	Last Name or Initials of Pharmacist O			
		Last name or initials of pharmacist dispensing the medication.			
	AIR10	R10 First Name of Pharmacist			
		First name of pharmacist dispensing the medication.			
AIRII		Dropping Off/Picking Up Identifier Qualifier	0		
		Additional qualifier for the ID contained in AIR05			
		01 Person Dropping Off			
		02 Person Picking Up			
		03 Unknown/Not Applicable			
Used to iden	•	equired) lata for a given pharmacy and provide the count of the total numb harmacy, including the PHA and TP segment.	er of detail		
segments rep	TP01	, , , , , , , , , , , , , , , , , , , ,	R		
	1701	Detail Segment Count Number of detail segments included for the pharmacy including the pharmacy header (PHA) and the pharmacy trailer (TP) segments.	,		
TT: Transa	ction Trailer ((required)			
Used to indicate the end of the transaction and provide the count of the total number of segments included in the transaction.					
	TT01	Transaction Control Number	R		
		Identifying control number that must be unique.			
		Assigned by the originator of the transaction.			
		Must match the number in TH02.			
	TT02	Segment Count	R		
		Total number of segments included in the transaction including the header and trailer segments.			

Appendix B: ASAP Zero Report Specifications

The following table contains the required definitions for submitting zero reports via SFTP or manual upload to the Missouri PDMP. It lists the **Segment** and **Element ID** with pre-populated data to be used as an example for constructing a zero report. For more details regarding these Segment or Elements IDs, or for details on reporting actual dispensations, please refer to <u>Appendix A: ASAP 4.2 Specifications</u>.

Segment	Element ID	Element Name	Requirement		
TH: Transaction Header (required)					
	TH01	4.2	R		
	TH02	123456	R		
	TH05	20150101	R		
	TH06	223000	R		
	TH07	P	R		
	TH09	II.	R		
IS: Information Source (required)					
	IS01	770555555	R		
	IS02	PHARMACY NAME	R		
	IS03	Date Range of Report #YYYYMMDD#-#YYYYMMDD#	R		
PHA: Phar	macy Header (re	equired)			
	PHA03	ZZ1234567	R		
PAT: Patient Information (required)					
	PAT07	REPORT	R		
	PAT08	ZERO	R		
DSP: Dispensing Record (required)					
	DSP05	20150101	R		
PRE: Prescriber Information (required; can be null as follows: PRE******)					
CDI: Compound Drug Ingredient Detail					
AIR: Additional Information Reporting					
TP: Pharmacy Trailer (required)					
	TP01	7	R		
TT: Transa	TT: Transaction Trailer (required)				
	TT01	123456	R		
	TT02	10	R		

Sample Zero Report

The following example illustrates a zero report using the above values.

```
TH*4.2*123456*01**20240108*223000*P**\\
IS*77055555555*PHARMACY NAME*#20240101#-#20240107#\
PHA*** ZZ1234567\
PAT******REPORT*ZERO********\
DSP*****20240108******\
PRE*\
CDI*\
AIR*\
TP*7\
TT*123456*10\
```

Appendix C: SFTP Configuration

This appendix describes the SFTP configurations required to upload your data to PMP Clearinghouse.

Note: Submitting data via SFTP requires that you have an existing PMP Clearinghouse account with SFTP access.

- If you need to create a PMP Clearinghouse account, please refer to <u>Creating Your Account</u>. You will be able to set up
 your SFTP account during the account creation process.
- If you have an existing PMP Clearinghouse account but do not have SFTP access, please refer to <u>Adding SFTP Access</u> to an <u>Upload Account</u>.

SFTP Connection Details

Hostname: submissions.healthcarecoordination.net

Bamboo Health recommends that you use the hostname when configuring the connection rather than the IP address, as the IP address is subject to change.

Port: 22

Note: The port will always be 22.

- Credentials: Your SFTP account credentials (username and password) can be found within the PMP
 Clearinghouse website. To locate your credentials, <u>log in to PMP Clearinghouse</u>, then click **Account** >
 SFTP Details > Edit.
- Your username cannot be modified; however, you can update your password.

Note: Your current SFTP password cannot be seen or recovered. If you have forgotten or lost it, you will need to create a new one. For more information on changing the SFTP password, please refer to <u>Adding SFTP Access to an Upload Account</u>.

 Once you have established SFTP access, you can test the SFTP connection, but you will not be able to submit data to a PMP until your account has been approved by the PMP administrator.

PMP Subfolders


PMP Clearinghouse is the data repository for numerous PMPs. As such, data submitted via SFTP must be placed in the appropriate folder for the PMP for which you are submitting data so that it can be properly imported. The creation of subfolders must be done outside of the PMP Clearinghouse website using third-party software, such as an SSH client or a command line utility. Files placed in the root/home directory of the SFTP server will not be imported, as this will cause the dispensing entity to appear as noncompliant/delinquent.

Your pharmacy software will need to be configured to place files in the appropriate PMP folder when submitting. You may need to contact your software vendor for additional assistance with this process.

NOTE: Capitalization of the abbreviated PMP folders' names has no bearing on whether or not Clearinghouse processes the files; however, some pharmacy systems, especially *nix-based systems, will require that the exact case is used when specifying the target folder.

There are two methods by which to create PMP subfolders for SFTP submissions:

- 1. Via SSH client (e.g., WinSCP, FileZilla, etc.)
 - a. Log in to your SFTP account.
 - b. Create the required directories under */homedir*.



2. Via command prompt

- a. Log in to your SFTP account using command prompt.
- b. Type "mkdir" followed by a space and then the state abbreviation you are using (e.g., mkdir MO).

NOTE: The PMP folder must be titled with the two-letter abbreviation as specified above.




Public (SSH/RSA) Key Authentication

PMP Clearinghouse supports SSH key authentication. The generation of the key is outside the scope of this document; however, general guidelines about the key, along with how to import/load it, are provided below.


Note: PGP Encryption is not supported.

Supported Key Types:

- SSH-2 RSA 2048 bit length
- Unsupported Key Types:
 - SSH-I RSA
 - SSH-2 DSA
- Correct Public Key Format: If opened in a text editor, the key should look like the screenshot below.



 Incorrect Public Key Format: If opened in a text editor, the key SHOULD NOT look like the screenshot below.



Once the key has been generated, it should be named "authorized_keys".

Notes:

- There is no file extension.
- There is an underscore between the words authorized and keys.
- A .ssh subfolder needs to be created in the SFTP account's home directory. The "authorized_keys" file
 must be placed in the .ssh folder. The creation of this folder follows the same process as creating a PMP
 subfolder. Please refer to PMP Subfolders for steps on creating subfolders.

Appendix D: Real-Time WSDL Configuration

When submitting data via real-time, you must have a Clearinghouse account with real-time access. See <u>Creating Your Account</u> to register with PMP Clearinghouse.

See Adding SFTP or Real-Time to a Registered Account to add SFTP access to an existing PMP Clearinghouse account.

Web Service Description/Definitions:

For the most current definitions, please open the WSDL at the following URL: https://pmpclearinghouse.net/api/v1/realtime/wsdl.

Host

URL/Target Endpoint/Host					
Previous	New				
portal.obn.ok.gov	https://pmpclearinghouse.net/api/v1/realtime/action				

Sample Request

IS|7229430039|APPRISS GATEWAY|TEST\

PHA|||BC6486054|TEST PHARMACY|1234 BROADWAY||ANYWHERE|NJ|01545|||\

PAT||||||PATIENT|TEST||||123 MAIN STREET||ANYWHERE|KY|44306||19521011|F|01|01||\
DSP|00|12456|20160410|0|20160410|00|01|00228298311|10|02|01|01|00|||04|||||\

PRE||GD0006406|||DOC|GOOD||\

TP|5\

```
TT|TEST|8\</Request>

<Password>Your_Password#I</Password>
</pmp:PMPTransaction>

</soapenv:Body>
</soapenv:Envelope>
```

XML Request Element Names (Tags) and Sequence				
Previous	New			
<nabpnumber>my_username</nabpnumber>	<username>my_username</username>			
Not Used	<pre><destinationpmp>MO</destinationpmp></pre>			
<asap2007block>xxxx</asap2007block>	<request>xxxxxxxx</request>			
<nabppassword>mypassword</nabppassword>	<password>mypassword</password>			

Sample Error Response

Error messages returned from the web service represent a "Fatal Error," meaning the submission will need to be retransmitted. The following error messages may be returned from the web service.

These responses will have a <TransactionStatus> of "0" in the response.

- 'Invalid ASAP Version Specified'
- 'File {filename} has already been uploaded by account {account.name} for destination PMP {Destination_PMP_name}.'
- 'Cannot send file larger than 3 MB. Please use SFTP.'
- Invalid Destination PMP. Please be sure to supply a two character state code.
- 'Account is Not Authorized for Destination PMP.'
- 'Invalid Credentials'

- 'Blank ASAP File'
- 'Unable to upload file.'
- 'Problem attempting to read the file. Please ensure the file is ASCII text and valid ASAP. {exception.message}.'

Sample Successful Response

The response for a successful submission will have a Transaction Status of "I" and the

<TransactionID> will contain the Transaction Control Number, TH02, of the submission for reference.

Appendix E: Correct Use of Codes in DSP01

Error Correction

The ASAP 4.2B standard requires a dispenser to select a code in the **DSP01** field. Dispensers may submit new records, revise and resubmit records, and void (delete) records. This is communicated by supplying one of the following values in the **DSP01** field:

- New Record indicates a new record.
- Revise indicates that one or more data elements in a previously submitted record have been revised.
- Void indicates that the original record should be deleted.

Submit a New Record

Perform the following steps to submit a new record:

- I. Create a record with the value "00" in the DSP01 field.
- 2. Populate all other required fields and submit the record.

Note: These steps are used to submit new records or to submit records that were previously submitted but received a fatal status on the dispenser's error report. **Records with fatal errors are not loaded into the PDMP system**. The errors in these records must be corrected in the dispenser's system and resubmitted using the "**00**" status in the **DSP01** field.

Revise a Record

Perform the following steps to revise a record:

- I. Create a record with the value "01" in the DSP01 field.
- 2. Populate the following fields with the same information originally submitted in the record that is being revised:
 - PHA02 (NCPDP/NABP Provider ID)
 - DSP02 (Prescription Number)
 - DSP05 (Date Filled)
- 3. Fill in all other data fields with the correct information. This information will override the original data linked to the fields referenced in step 2.
- 4. Submit the record.

Important Note: If any of the fields referenced in Step 2 are part of the correction, the record should first be voided and then resubmitted using the value "**00**" in the **DSP01** field.

Void a Record

Perform the following steps to void (delete) a record:

- I. Send a record with the value "02" in the **DSP01** field.
- 2. Fill in all other data identical to the original record. This will void the original record.
- 3. An option to sending all the identical data in the prescription is to send a limited data set. The reason for a limited data set to void a prescription is to simplify the process in the pharmacy. This data set would be an option that a PDMP could require, rather than the identical data of the entire original prescription. The entire limited data set would be sent and if a PDMP does not require a data element, it would be ignored by the PDMP.

Limited Data Set to Void a Prescription

- PHA02 (NCPDP/NABP Provider ID)
- PHA03 (DEA Number)
- DSP02 (Prescription Number)
- DSP03 (Date Written)
- DSP05 (Date Filled)
- DSP06 (Refill Number)
- DSP13 (Partial Fill Indicator)

Transmission Confirmation

For each successful submission, those not resulting in a Fatal Error, you will receive a status report via email. Status reports are described in the <u>Email Reports</u> section of this guide.

For submissions that contain dispensation errors, the status report email will list the errors. Errors can be corrected by submitting revision or void records in a new transmission or by manually updating the error records via the PMP Clearinghouse website. The error correction process is described in full in the Data Compliance section of this guide.